

AKKU-TOP



The FIRST range of accessories for cordless machines

and wired electrical devices



AKKU-TOP | ENERGY SAVING

The FIRST range of accessories for cordless machines and wired electrical devices

THE OPTIMISED ACCESSORIES RANGE FOR ALL USERS OF CORDLESS MACHINES

and wired electrical devices:


Save up to 45% working time - this means working up to 45% longer with one battery charging cycle and the same energy consumption.

These savings are realised by an interaction of many innovative factors such as e.g. patented chip removal, high-quality metal, hardening processes, careful polishing methods, optimised material thickness and reduced weight without loss of stability or performance.

Get the maximum performance from your cordless machine, save battery power, protect the environment and your wallet and work more efficiently to save time.

THE BENEFITS AT A GLIMPSE


- easier working due to innovative design
- saves time, therefore longer working with one battery charge
- less effort for the cordless machine
- faster removal of sawdust
- faster sawing
- efficient and time-saving working
- less charging cycles







AKKU-TOP | ENERGY SAVING NEWS



On 7. March 2016 kwb Germany Gmbh was awarded the "BHB Customer Service Prize" in the category "Product and process innovation". kwb received the award for the developent of their new "Akku-Top" product range. kwb has successfully and in an innovative way dealed with the question of how the performance of cordless machines can be improved and designed more energyefficient. For this purpose the tools of the new "Akku-Top" product range are consistently designed with less friction. This is achieved by optimisation of chip removal, better materials, more accurately polished sections as well as reduced material thickness. Thus, kwb provides for a veritable performance boost in the sector of cordless machines.

The BHB Customer Service Prize is the prize of honour of the DIY industry, which is awarded every two years in the course of the Cologne hardware trade show.





20 16 ENERGY SAVING 35%

PRODUCT OF THE YEAR

EXCLUSIVE at KIND

Other *AKKU-TOP* products are already in progress!

Stay always informed with up-to-date information and visit us in the Internet at **www.kwb.eu**





Multitool accessories



PROFESSIONAL *

AKKU-TOP I ENERGY SAVING MULTITOOL-ACCESSORIES

- · with patented flutes and plane holes
- · faster removal of sawdust
- efficient and time-saving working
- · less effort for the cordless machine

Plunge-cut sawblade, CV



With patented flutes for higher and faster performance and patented quick-action chuck. Especially clean and quick cuts into hard wood, soft wood, laminate, parquet, plastic etc. Easy plunging into the material at any place. E.g. trouble-free plunge-cuts into parquet floors, real-wood kitchen countertops for ventilation grilles, in cabinets or gypsum plasterboard slabs for access to power outlets.

25% FASTER - FASTER 25% ENERGY

ArtNo.	Width	Content	Cutting depth	6	Barcode
709194	34 mm	Plunge-cut sawblade with Japanese toothing	48 mm	5	4 009317 091943
ArtNo.	Width	Content	Cutting depth		Barcode
5-pc.					
709195	34 mm	5 Plunge-cut sawblades with Japanese toothing	48 mm	3	4 009317 091950



























Plunge-cut sawblade, CV



With patented flutes for higher and faster performance and patented quick-action chuck. Especially clean and quick cuts into hard wood, soft wood, laminate, parquet, plastic etc. Easy plunging into the material at any place, for cutting of slabs, parquet, plastic. E.g. trouble-free plunge-cuts into parquet floors, real-wood kitchen countertops for ventilation grilles, in cabinets or gypsum plasterboard slabs for access to power outlets.

ArtNo.	Width	Content	Cutting depth	6	Barcode
709150	10 mm	Plunge-cut sawblade	28 mm	5	4 0 0 9 3 17 0 9 1 5 0 9
709152	22 mm	Plunge-cut sawblade	48 mm	5	4 0 0 9 3 1 7 0 9 1 5 2 3
709154	34 mm	Plunge-cut sawblade	44 mm	5	4 0 0 9 3 1 7 0 9 1 5 4 7
ArtNo.	Width	Content	Cutting depth	6	Barcode
5-pc. (A	ailable as of	January 2018)			
709153	22 mm	5 Plunge-cut sawblades	48 mm	3	4 009317 091530
709155	34 mm	5 Plunge-cut sawblades	44 mm	3	4 009317 091554























AKKU-TOP | ENERGY SAVING MULTITOOL-ACCESSORIES

- · with patented flutes and plane holes
- faster removal of sawdust
- efficient and time-saving working
- · less effort for the cordless machine

Line cutter, patented design, CV




















ArtNo.	Content	Cutting depth	6	Barcode
708450	Line cutter	52 mm	5	4 0 0 9 3 1 7 0 8 4 5 0 1








































cutting of glass fibre for boat construction or into plastic elements. Easy preparation of cut-outs into thin metal sheets and non-ferrous metals.

ArtNo.	Width	Content	Cutting depth	6	Barcode
709250	10 mm	Plunge-cut sawblade	28 mm	5	4 009317 092506
709252	22 mm	Plunge-cut sawblade	48 mm	5	4 009317 092520

ArtNo.	Width	Content	Cutting depth			Barcode			
5-pc. (Available as of January 2018)									
709253	22 mm	5 Plunge-cut sawblades	48 mm		3	4 009317 092537			

Multitool accessories



PROFESSIONAL ★ ★ ★ ★

AKKU-TOP | ENERGY SAVING MULTITOOL-ACCESSORIES

- · with patented flutes and plane holes
- faster removal of sawdust
- efficient and time-saving working
- less effort for the cordless machine

Plunge-cut sawblade, semi-circular, bimetal



With patented flutes for higher and faster performance and patented quick-action chuck. Clean cuts into coated wood, into plastic, glass fibre, metal sheets up to 2 mm, copper pipes, aluminium pipes and profile sections, also suitable for removal of protruding nails from wood or copper pipe from the wall flush with the adjacent areas. Easy plunging into the material at any place, into kitchen countertops for ventilation grilles, in cabinets or gypsum plasterboards for access to power outlets. Effortless

cutting of glass fibre for boat construction or into plastic elements. Easy preparation of cut-outs into thin metal sheets and non-ferrous metals.

25% FASTER - FASTER 25% ENERGY

ArtNo.	Width	Content	Cutting depth	6	Barcode
709450	87 mm	Plunge-cut sawblade	15 mm	5	4 009317 094500

ArtNo.	Width	Content	Cutting depth		6	Barcode			
2-pc. (Available as of January 2018)									
709455	87 mm	2 Plunge-cut sawblades	15 mm		3	4 0 0 9 3 17 0 9 4 5 5 5			





























PROFESSIONAL $\bigstar \bigstar \bigstar \bigstar$



Deep-cut plunge-cut sawblade, semi-circular, CV



With patented flutes for higher and faster performance and patented quick-action chuck. Easy plunging into the material at any place, for cutting into wood, plastic, glass fibre. E.g. effortless cutting of door frames for laminate floor and parquet installation, also for door frames with many profiled sections, cutting of skirting boards, kitchen countertops for ventilation grilles and other materials for which customary plunge-cut sawblades are too short. The extra long shaft allows for a cutting depth of up to 55 mm.

ArtNo.	Width	Content	Cutting depth	6	Barcode
708550	80 mm	Deep-cut plungecut sawblade	55 mm	5	4 009317 085508























AKKU-TOP | ENERGY SAVING MULTITOOL-ACCESSORIES

- · with patented flutes and plane holes
- faster removal of sawdust
- efficient and time-saving working
- · less effort for the cordless machine


Tile and joint cleaner, patented design, HM











All-purpose application for wood, plastic and metal work with patented flutes for higher and faster performance and patented guick-action chuck. For clean cutting of parquet, laminate or sound insulation flooring slabs, precise cutting of door frames flush with the adjacent areas for parquet and laminate flooring, cutting of aluminium connector bars, flush cutting of protruding nails from wood or copper pipes from the wall. Trouble-free plunging into kitchen countertops for ventilation grilles, in cabinets or gyp-

frames, easy cut-outs in thin metal sheets and non-ferrous metals.

















25% FASTER - FASTER 25% ENERGY

ArtNo.	Content	Cutting depth	6	Barcode
708460	Tile and joint clean- er	52 mm	5	4 009317 084600

Universal kit, 7 items, in an aluminium suitcase











































ArtNo.	Width	Content	Cutting depth	6	Barcode
708000	34 10 22 34 22 ø 87 2,0	ArtNo. 709194 ArtNo. 709150 ArtNo. 709152 ArtNo. 709154 ArtNo. 709252 ArtNo. 709450 ArtNo. 708450	43 28 48 44 48 15	5	4 009317 080008

sum plasterboard slabs for access to power outlets. Effortless cutting into fibre glass for boat construction or in plastic elements. Trouble-free removal of old mastic in window

Multitool accessories



PROFESSIONAL ★★★★

AKKU-TOP I ENERGY SAVING MULTITOOL-ACCESSORIES

- · with patented flutes and plane holes
- · faster removal of sawdust
- · efficient and time-saving working
- · less effort for the cordless machine

Universal adapter for Multi-Tool

Using the universal adapter, the kbw all-rounder/multi-function accessories fit to many customary multi-cutters, all-rounders or multi-purpose tools: Bosch PMF 180 E, GOP 10.8 V-LI, EINHELL RT-MG 200 E RED, RT-MG 108 Li RED, BT-MG 220 E, BT-MG 180, DREMEL Multi-Max, ERGOTOOLS Plattfield E-MG 250 E, LUX TOOLS AMF 12 Li, Mac Alister MMT108, PARKSIDE, FEIN Multimaster Ø 10 mm, Rockwell/Works Sonicrafter, Craftsman Multi-Tool, Mastercraft Multi-Cutter

ArtNo.	Content	6	Barcode
708700	OMT Universal adapter	5	4 009317 087007









Manufacturer/machine model	Machine fitting	Adaptor fitting	+	kwb Multitool Quick Change	=	Fits!
AEG BWS 12 C	• -	Adapter from your machine	+	3142	=	
ALDI (Workzone/Topcraft)	•		+	21/2	=	7
ALPHA TOOLS A180			+	315	=	1
BATAVIA ZZ 9506, TD 8501, 10,8V Li 7050776			+	775	=	
BLACK & DECKER MT250KA, MT300KA, BD200MTB	Quick Change	Adapter from your machine	+	315	=	75
BOSCH PS50-2A, MX25EC-21, PMF 180 E, PMF 190 E, PMF 10,8 LI, PMF 250 CES, GOP 250 CE, PS 550-2A 12V Multi-X			+	316	=	
CRAFTSMEN Nextec 5910 12 V, Nextec 174J8	+ -	Adapter Ihrer Maschine	+	316	=	
CRAFTSMEN Craftsman G2 Cordless Nextec Tool-Free Multitool #67537 Variable Speed Oscillating Multifunction Power Tool #67256 base model fixed speed Oscillating Multifunction Power Tool #67707 12 Volt Lithium-Ion Oscillating Multifunction Power Tool #67538 Variable Speed Multifunction Air Tool #68803 Fixed speed Oscillating Multifunction Power Tool #68861 Fixed speed Oscillating Multifunction Power Tool	<u> </u>	Adapter from your machine	+	31K2	=	**
DEWALT DWE 315, DCS 355	Quick Change	Adapter from your machine	+	7710	=	
DREMEL MM20, Multi-Max TM 8300-q, MM40 (Quick Change)			+	7715	=	
EINHELL RT-MG 200 E, RT-MG 10.8Li, BT-MG 180, BT-MG 220 E, TE-MG 12 Li, RT-MG 10,8 Li, 8/1 Li			+	316	=	***
ERGOTOOLS Pattfield E-119 250 E	•		+	77.5	=	710
FEIN MULTIMASTER FMM 250	* -	kwb-Adapter (708700)	+	2012	=	
FERM OTM-1001, OTM-1003	—	kwb-Adapter (708700)	+	775	=	
LIDL (PARKSIDE) PMFV 280			+	775	=	
LIDL (PARKSIDE) PMFV 280 A2, PDMT 6.2 A1	• -	→ (•)	+	316	=	
LUX TOOLS AMF 12 Li, MFW 220	<u> </u>	Adapter from your machine	+	316	=	
KRAFTRONIC Multitool KT-MT-200				316		
MAC ALLISTER 2426-22MM12, MMT 108, 10,8 Li	—	Adapter from your machine	+	316	=	

Multitool accessories



Manufacturer/machine model	Machine fitting	Adaptor fitting	+	kwb Multitool Quick Change	=	Fits!
MAKITA BTM40, BTM50, BTM 50RF1J4, BTM 50ZJX3			+	315	=	**
MASTERCRAFT BWS 12 C			+	215	=	**
MEISTER BASIC BMT-250	•		+	शहर रहे	=	**
MILWAUKEE 2426-22MM12, M 12 12V Multi-Tool-Kit			+	लाह. हि	=	**
PORTER CABLE 250MT, PC250MTK, PCL120MT, PCE605, PCCK510LA, PCC510B	Quick Change	Adapter from your machine	+	राहे स	=	**
RIGID JobMax	•		+	गुरु	=	**
ROCKWELL RK5100K, RK5101K, RK5102K, RK5105K, RK5106K, RK5107K, RK5108K	• –	Adapter from your machine	+	715	=	
RYOBI RMT 12011 L, RMT 18011 L, RMT 1801 M	–	Adapter from your machine	+	715	=	
SKIL Multi-Tasker 147D, 1400 2.0 Amp, 1470 AA			+	715	=	
STANLEY FATMAX FME600 Oscillating Tool, FME600K Oscillating Tool Kit	Quick Change	Adapter from your machine	+	715	=	
WESTFALIA TD 8501	•		+	715	=	
WORX Worx 250W Sonicrafter WX671, Worx 12V Sonicrafter, Worx Sonicrafter Pro 250 W, Worx SoniCrafter Pro 12V Li WX673	• -	Adapter from your machine	+	715	=	
KWB-ADAPTER (708700) Suitable for many types of machine. Two different adapters in one.			+	775	=	



AKKU-TOP | ENERGY SAVING

- · up to 2 x faster in hard wood as compared to standard augers
- super-sharp polished edges
- fray-proof bore drill holes in all types of wood
- less effort for the CORDLESS MACHINE

FCE hard wood drill with TwinLand® groove design























FCE spiral drill for wood, HSS-M2, precision-grinded, industrial quality, cylindric shaft, uncoated, with TwinLand® groove design, with patented centring tip and 2 taper taps, for bore holes without ripping, especially suitable for hard wood decking (patio) such as e.g. bangkirai wood, Douglas fir, furthermore, suitable for hard wood, soft wood, chipboard, gypsum plasterboard, plastic.



30% FASTER - FASTER 30% ENERGY

ArtNo.	— mm —	Ø mm		6	Barcode
carded					
511903	61	3		10	4 0 0 9 3 1 5 1 1 9 0 3 8
511904	75	4		10	4 0 0 9 3 1 5 1 1 9 0 4 5
511905	86	5	•	10	4 0 0 9 3 1 5 1 1 9 0 5 2
511906	93	6		10	4 0 0 9 3 1 5 1 1 9 0 6 9
511907	109	7		10	4 0 0 9 3 1 5 1 1 9 0 7 6
511908	117	8		10	4 0 0 9 3 1 5 1 1 9 0 8 3
511909	125	9		10	4 0 0 9 3 1 5 1 1 9 0 9 0
511910	133	10		10	4 009315 119106

FCE hard wood drill set, 5-pc.

PROFESSIONAL ★★★★















FCE wood drill bits, HSS-M2, precision ground, with TwinLand® flute design, self colour, with patented centre point and two cutting wings, special grinding for break-out free hole edges without feathering, cylindrical shank, industrial quality, for Bangkirai, hardwood, softwood, up to 6 times faster drilling in hardwood.



ArtNo.	Content		Barcode
5-pc.			
511900	ø 3, 4, 5, 6, 8 mm		4 009315 119007



PROFESSIONAL ★★★★

AKKU-TOP | ENERGY SAVING

- up to 2 x faster in hard wood as compared to standard augers
- super-sharp polished edges
- fray-proof bore drill holes in all types of wood
- less effort for the CORDLESS MACHINE


3-S Japan auger bit



Japan auger bit, industrial quality, special super-sharp thin polished tip section and main blade for absolutely fray-proof drilling into all hard and soft wood. This special thin polished tip section creates only small shavings which are guickly removed. Colour black, shiny polish, CV steel, with hexagon shaft 1/4" acc. to ISO 1173, E 6.3 for precise and effortless drilling with cordless machines and tethered machines. Optimal for all drilling into wooden beams and all types of wood. Especially suitable for holes in

visible areas for carpenters, interior fittings, carpentry.

35% FASTER - FASTER 35% ENERGY



























Japanese drill 3-S SMART · SMOOTH · SPEED

Drill Extension

Drill Extension for flat wood bit and drills with 1/4" hexagon shanks to ISO 1173, E 6.3. Phosphated finish.

ArtNo.	Fitting	— mm →	6	Barcode
carded				
512450	● 1/4" E and C 6.3	300	1	4 0 0 9 3 1 5 1 2 4 5 0 6











AKKU-TOP | ENERGY SAVING

- up to 2 x faster in hard wood as compared to standard augers
- super-sharp polished edges
- · fray-proof bore drill holes in all types of wood
- less effort for the CORDLESS MACHINE

3-S Japan auger bit, 235 mm























Japanese drill 3-\$ SMART·SMOOTH·SPEED

Japan auger bit, industrial quality, special super-sharp thin polished tip section and main blade for absolutely fray-proof drilling into all hard and soft wood. This special thin polished tip section creates only small shavings which are guickly removed. Colour black, shiny polish, CV steel, with hexagon shaft 1/4" acc. to ISO 1173, E 6.3 for precise and effortless drilling with cordless machines and tethered machines. Optimal for all drilling into wooden beams and all types of wood. Especially suitable for holes in visible areas for carpenters, interior fittings, carpentry.



ArtNo.		Fitting	— mm →	Ø mm	6	Barcode
carded						
042912	160	1/4" E 6.3	235	12	1	4 0 0 9 3 1 0 4 2 9 1 2 5
042914	160	1/4" E 6.3	235	14	1	4 0 0 9 3 1 0 4 2 9 1 4 9
042916	160	1/4" E 6.3	235	16	1	4 0 0 9 3 1 0 4 2 9 1 6 3
042918	160	1/4" E 6.3	235	18	1	4 0 0 9 3 1 0 4 2 9 1 8 7
042920	160	1/4" E 6.3	235	20	1	4 0 0 9 3 1 0 4 2 9 2 0 0
042922	160	1/4" E 6.3	235	22	1	4 0 0 9 3 1 0 4 2 9 2 2 4
042924	160	1/4" E 6.3	235	24	1	4 009310 429248
042926	160	10 mm	235	26	1	4 0 0 9 3 1 0 4 2 9 2 6 2
042928	160	10 mm	235	28	1	4 0 0 9 3 1 0 4 2 9 2 8 6
042930	160	10 mm	235	30	1	4 0 0 9 3 1 0 4 2 9 3 0 9
042932	160	10 mm	235	32	1	4 009310 429323



AKKU-TOP | ENERGY SAVING

- up to 2 x faster in hard wood as compared to standard augers
- super-sharp polished edges
- fray-proof bore drill holes in all types of wood
- less effort for the CORDLESS MACHINE

DOUBLE CUT Japan auger, 460 mm



Japan auger, industrial quality, 2 taper taps with special serration for tearfree drilling, precisionground main blade. The special ground tip produces only small shavings which are quickly removed. With black non-stick PTFE coating to reduce friction in the bore hole. Highly precise concentricity. Drill head with self-tightening thread tip for quick drilling with low effort. The thread tip is processed with high precision and penetrates the material without bulging. Drills even into hardest wood without getting stuck.

Suitable both for soft and hard wood and even for Bongossi (Ironwood). HCS steel, with 11 mm hexagon shaft, for precise and effortless drilling with cordless electric drills and wired machines. Optimal for all drilling into wooden beams, glued laminated timber and all types of wood.

35% FASTER - FASTER 35% ENERGY

ArtNo.		Fitting	— mm —	Ø mm		6	Barcode		
SB tube	SB tube								
042512	384	11 mm	460	12		1	4 0 0 9 3 1 0 4 2 5 1 2 7		
042514	384	11 mm	460	14		1	4 009310 425141		
042516	384	11 mm	460	16		1	4 009310 425165		
042518	384	11 mm	460	18		1	4 009310 425189		
042520	384	11 mm	460	20		1	4 0 0 9 3 1 0 4 2 5 2 0 2		
042522	384	11 mm	460	22		1	4 009310 425226		
042524	384	11 mm	460	24		1	4 0 0 9 3 1 0 4 2 5 2 4 0		
042526	384	11 mm	460	26		1	4 0 0 9 3 1 0 4 2 5 2 6 4		
042528	384	11 mm	460	28		1	4 0 0 9 3 1 0 4 2 5 2 8 8		
042530	384	11 mm	460	30		1	4 009310 425301		
042532	384	11 mm	460	32		1	4 0 0 9 3 1 0 4 2 5 3 2 5		
042535	384	11 mm	460	35		1	4 009310 425356		
042538	384	11 mm	460	38		1	4 0 0 9 3 1 0 4 2 5 3 8 7		







PROFESSIONAL ★★★★















Japanese drill 3-\$ SMART·SMOOTH·SPEED



AKKU-TOP | ENERGY SAVING

- · up to 2 x faster in hard wood as compared to standard augers
- super-sharp polished edges
- · fray-proof bore drill holes in all types of wood
- less effort for the CORDLESS MACHINE

Centre bit SPEED

























Centre bit according to DIN 7483 G, for wood processing, tempered special steel, welded drillig head with patented serrated precision blade, optimally sharpened and hardened blades for extremely precise and easy cuts and tearfree borehole edges also with large diameters, centering tip, low slide friction, low heat development, 3 x longer service life and significantly faster drilling as compared to customary centre bits, colour: shining with black grooves, for all rotary drills and hammer drills with 10 / 13 mm chucks, for hard and soft wood, coated chipboard, MDF boards, veneered wood, core boards.



ArtNo.	Ø mm	6	Barcode
SB box			
706315	15.0 mm	1	4 0 0 9 3 1 7 0 6 3 1 5 5
706316	16.0 mm	1	4 0 0 9 3 17 0 6 3 1 6 2
706318	18.0 mm	1	4 009317 063186
706320	20.0 mm	1	4 0 0 9 3 1 7 0 6 3 2 0 9
706322	22.0 mm	1	4 0 0 9 3 17 0 6 3 2 2 3
706325	25.0 mm	1	4 0 0 9 3 17 0 6 3 2 5 4
706326	26.0 mm	1	4 009317 063261
706330	30.0 mm	1	4 009317 063308
706335	35.0 mm	1	4 009317 063353
706340	40.0 mm	1	4 009317 063407
706345	45.0 mm	1	4 0 0 9 3 17 0 6 3 4 5 2
706350	50.0 mm	1	4 0 0 9 3 1 7 0 6 3 5 0 6
706355	55.0 mm	1	4 009317 063551
706360	60.0 mm	1	4 009317 063605

Wood drill



PROFESSIONAL ★★★★

AKKU-TOP I ENERGY SAVING WOOD DRILL

- up to 2 x faster in hard wood as compared to standard augers
- super-sharp polished edges
- · fray-proof bore drill holes in all types of wood
- less effort for the CORDLESS MACHINE

Centre bit SPEED



Centre bit according to DIN 7483 G, for wood processing, tempered special steel, welded drillig head with patented serrated precision blade, optimally sharpened and hardened blades for extremely precise and easy cuts and tearfree borehole edges also with large diameters, centering tip, low slide friction, low heat development, 3 x longer service life and significantly faster drilling as compared to customary centre bits, colour: shining with black grooves, for all rotary drills and hammer drills with 10 / 13 mm chucks, for hard and soft

wood, coated chipboard, MDF boards, veneered wood, core boards.

ArtNo.	Content	6	Barcode
706300	ø 15, 20, 25, 30, 35 mm	1	4 0 0 9 3 1 7 0 6 3 0 0 1























AKKU-TOP | ENERGY SAVING DRILL BITS FOR METAL

- up to 10 % faster drilling into stainless steel
- · up to 3x longer service life in stainless steel
- · special centre and spiral cut for quick swarf removal
- less effort for CORDLESS MACHINES


HI-NOX HSS M2 metal drill



































ArtNo.	← mm →	Ø mm	Tapping hole for thread size	6	Barcode
carded					
258610	34	1,0		10	4 0 0 9 3 1 2 5 8 6 1 0 9
258615	40	1,5		10	4 0 0 9 3 1 2 5 8 6 1 5 4
258620	49	2,0		10	4 0 0 9 3 1 2 5 8 6 2 0 8
258625	57	2,5	М 3	10	4 009312 586253
258630	61	3,0	M 3,5	10	4 0 0 9 3 1 2 5 8 6 3 0 7
258632	65	3,2		10	4 0 0 9 3 1 2 5 8 6 3 2 1
258633	65	3,3	M 4	10	4 009312 586338
258635	70	3,5		10	4 0 0 9 3 1 2 5 8 6 3 5 2
258640	75	4,0		5	4 0 0 9 3 1 2 5 8 6 4 0 6
258642	75	4,2	M 5	5	4 0 0 9 3 1 2 5 8 6 4 2 0
258645	80	4,5		5	4 009312 586451
258648	86	4,8		5	4 009312 586482
258650	86	5,0	M 6	5	4"009312"586505
258655	93	5,5		5	4 0 0 9 3 1 2 5 8 6 5 5 0
258660	93	6,0	M 7	5	4 009312 586604
258665	101	6,5		5	4 009312 586659
258668	109	6,8	M 8	5	4 009312 586680
258670	109	7,0		2	4 009312 586703
258675	109	7,5		2	4 0 0 9 3 1 2 5 8 6 7 5 8
258680	117	8,0		2	4 0 0 9 3 1 2 5 8 6 8 0 2
258685	117	8,5		2	4 009312 586857
258690	125	9,0		2	4"009312"586901
258695	125	9,5		2	4 009312 586956
258700	133	10,0		2	4 009312 587007
258710	142	11,0		2	4 0 0 9 3 1 2 5 8 7 1 0 6

Drill bits for metal



PROFESSIONAL * * * *

PROFESSIONAL ★★★★

AKKU-TOP | ENERGY SAVING DRILL BITS FOR METAL

- up to 10 % faster drilling into stainless steel
- up to 3x longer service life in stainless steel
- · special centre and spiral cut for quick swarf removal
- less effort for CORDLESS MACHINES

HI-NOX HSS M2 metal drill

ArtNo.	← mm →	Ø mm	Tapping hole for thread size	6	Barcode
258720	151	12,0	M 14	2	4 0 0 9 3 1 2 5 8 7 2 0 5
258730	151	13,0		2	4 009312 587304







HI-NOX HSS M2 metal drill



HI-NOX HSS M2 spiral drill, sharpened, right-hand cut, cylindrical, colour black/uncoated, 130° point angle with special polished section, special polished spiral section with "Quick Cut" geometry for small swarf, reinforced core and spiral shoulder, specially shaped short spiral notch, extra robust, for optimal swarf removal, extremely heat-resistant, optimal cutting performance in particular in all types of stainless steel, also suitable for all steel types, cast iron and cast steel. For effortless and energy-sav-

ing drilling with cordless or tethered machines.

ArtNo.	← mm →	Ø mm	Tapping hole for thread size	6	Barcode
bulk					
258010	34	1,0		Z 10	4 0 0 9 3 1 2 5 8 0 1 0 7
258015	40	1,5		Z 10	4 0 0 9 3 1 2 5 8 0 1 5 2
258020	49	2,0		Z 10	4 0 0 9 3 1 2 5 8 0 2 0 6
258025	57	2,5	М 3	Z 10	4 009312 580251
258030	61	3,0	M 3,5	Z 10	4 009312 580305
258032	65	3,2		Z 10	4 009312 580329
258033	65	3,3	M 4	Z 10	4 009312 580336
258035	70	3,5		Z 10	4 009312 580350
258040	75	4,0		Z 5	4 009312 580404
258042	75	4,2	M 5	Z 5	4 0 0 9 3 1 2 5 8 0 4 2 8
258045	80	4,5		Z 5	4 009312 580459
258048	86	4,8		Z 5	4 009312 580480
258050	86	5,0	M 6	Z 5	4 009312 580503
258055	93	5,5		Z 5	4 009312 580558
258060	93	6,0	M 7	Z 5	4 0 0 9 3 1 2 5 8 0 6 0 2
258065	101	6,5		Z 5	4 009312 580657
258068	109	6,8	M 8	Z 5	4 0 0 9 3 1 2 5 8 0 6 8 8



























PROFESSIONAL * * * *

AKKU-TOP | ENERGY SAVING DRILL BITS FOR METAL

- up to 10 % faster drilling into stainless steel
- up to 3x longer service life in stainless steel
- special centre and spiral cut for quick swarf removal
- less effort for CORDLESS MACHINES

HI-NOX HSS M2 metal drill







ArtNo.	← mm →	Ø mm	Tapping hole for thread size	6	Barcode
258070	109	7,0		Z 3	4 0 0 9 3 1 2 5 8 0 7 0 1
258075	109	7,5		Z 3	4 009312 580756
258080	117	8,0		Z 3	4 0 0 9 3 1 2 5 8 0 8 0 0
258085	117	8,5		Z 3	4 0 0 9 3 1 2 5 8 0 8 5 5
258090	125	9,0		Z 3	4 009312 580909
258095	125	9,5		Z 2	4 0 0 9 3 1 2 5 8 0 9 5 4
258100	133	10,0		Z 3	4 009312 581005
258110	142	11,0		Z 2	4 0 0 9 3 1 2 5 8 1 1 0 4
258120	151	12,0	M 14	Z 2	4 0 0 9 3 1 2 5 8 1 2 0 3
258130	151	13,0		Z 2	4 009312 581302

HI-NOX HSS M2 metal drill set, 6 pc.

















HI-NOX HSS M2 spiral drill, sharpened, right-hand cut, cylindrical, colour black/uncoated, 130° point angle with special polished section, special polished spiral section with "Quick Cut" geometry for small swarf, reinforced core and spiral shoulder, specially shaped short spiral notch, extra robust, for optimal swarf removal, extremely heat-resistant, optimal cutting performance in particular in all types of stainless steel, also suitable for all steel types, cast iron and cast steel. For effortless and energy-saving drilling with cordless or tethered machines.



10% FASTER - FASTER 10% ENERGY

ArtNo.	Ø mm	6	Barcode
258806	2, 3, 4, 5, 6, 8	1	4 009312 588066

HI-NOX HSS M2 metal drill set, 19 pc.




















ArtNo.	Ø mm	6	Barcode
258819	2,5, 3, 3,5, 4, 4,5, 5, 5,5, 6	1	4 0 0 9 3 1 2 5 8 8 1 9 6













PROFESSIONAL ★★★★

AKKU-TOP I ENERGY SAVING HOLE SAWS

- · with patented flutes
- · faster sawing, faster removal of sawdust
- · less friction, less time effort
- · less effort for the cordless machine

Multi-blade hole saw, 8 pcs.



Mit patentierten Spannuten für höhere und schnellere Arbeitsleistung. Lochsäge, 8-tlg., mit Sechskant-Aufnahmeschaft, schwerem Aluguss-Trägerteller, Sägekränze aus gehärtetem Federstahl, Zahnspitzen induktiv gehärtet, für den Einsatz in Holz, kunststoffbeschichtete Hölzer, Hartholz, Spanplatten, Gipskarton, Leichtbauplatten, Kunststoff und Kupfer.

25% FASTER - FASTER 25% ENERGY

ArtNo.	Ø mm	Cutting depth	6	Barcode
498920	25, 32, 38, 44, 51, 57, 63, 68	28 mm	4	4 0 0 9 3 1 4 9 8 9 2 0 5



























PROFESSIONAL 7





Multi-blade hole saw, 7 pcs.



With patented flutes for higher and faster performance.

Hole saw, 7 pcs., heavy zinc diecasting carrier plate, saw rims made of hardened spring steel, tooth tips with inductive hardening, for use in wood, plastic-coated wood, hard wood, chipboard, gypsum plasterboard, lightweight building boards, plastic and copper.

ArtNo.	Ø mm	Cutting depth		Barcode
498720	46, 53, 59, 66, 73, 82, 94 mm	30 mm	1	4 009314 987201

































AKKU-TOP | ENERGY SAVING SAWBLADES

- · specifically shaped sawblade
- optimised tooth geometry and polished thin section
- less friction resistance, significantly faster cutting performance
- · less effort for the cordless machine

Jig saw blade, wood processing, DOWN CUT, HCS carbon steel


















27% FASTER - FASTER 27% ENERGY

als, Varicor and Corion, which are sensitive to splintering.













ArtNo.	<u> </u>	Content	Length	Cut	6	Barcode
623420	1,9	2	116/90	fine	10	4 0 0 9 3 1 6 2 3 4 2 0 4

Jig saw blade, wood processing, HCS




















27% FASTER - FASTER 27% ENERGY

Made in Germany	













Jig saw blade, metal and wood processing, bimetal

PROFESSIONAL * *















Variably toothed, patented TwinCut toothing, newly developed patented sawblade geometry for significantly higher cutting pressure. Up to 2 times higher cutting speed for best cutting results into metal, non-ferrous metal, plastic, wood, wood with metal residues.





ArtN	o. <u>372</u>	Content	Length	Cut	6	Barcode
62152	0 1,3 - 2,0	2	80/57	fine	10	4 009316 215203









Jigsaw blades / Reciprocating saw blades



PROFESSIONAL ★ ★ ★ ★

AKKU-TOP | ENERGY SAVING SAWBLADES

- · specifically shaped sawblade
- optimised tooth geometry and polished thin section
- less friction resistance, significantly faster cutting performance
- less effort for the cordless machine

Sabre saw blade, wood processing, HCS carbon steel



Teeth 3x ground and laterally sharpened, newly developed patented sawblade geometry for additional significantly higher cutting pressure. Up to 2 times higher cutting speed for hard wood, soft wood, construction wood, dry green wood and wet wood.

23% FASTER - FASTER 23% ENERGY

ArtNo.	4 14	Content	Length	Cut	6	Barcode
576100	4,2	2	240/218	medium	2	4 0 0 9 3 1 5 7 6 1 0 0 8















PROFESSIONAL * * *









Sabre saw blade, japanese toothing, wood processing, HCS



Japan tooth, teeth 3x angular sharpened, impulse-hardened, extremely sharp, newly developed patented sawblade geometry for additional significantly higher cutting pressure. Up to 2 times higher cutting speed for especially clean cuts into hard wood, soft wood, construction wood, plastic-coated wood, dry green wood wet wood, plastic.

23% FASTER - FASTER 23% ENERGY

ArtNo.	<u> </u>	Content	Length	Cut	6	Barcode
576200	3	2	230/190	fine	2	4 009315 762005























PROFESSIONAL **



Sabre saw blade, metal and wood processing, bimetal



Variably toothed, new two-stage toothing, low friction, better heat dissipation, with ventilation grooves, newly developed patented sawblade geometry for additional significantly higher cutting pressure. Up to 2 times higher cutting speed, for metal, non-ferrous metal, wood with metal residues, mixed matrials, plastic.

ArtNo.	312	Content	Length	Cut		Barcode
578500	2,5 - 1,8	2	150/130	fine	2	4 009315 785004



























AKKU-TOP | ENERGY SAVING CIRCULAR SAW BLADES

- · optimised blade geometry
- low blade thickness, reduced cutting width
- less friction, saves energy and time
- less effort for the cordless machine

EASY CUT thin-cut circular saw blade, hard metal tipped








































30% FASTER - FASTER 30% ENERGY

ArtNo.	Ø x shank Ø	Kerf	→¶← mm	Teeth		Barcode
581938	135 x 20	1,8	1,2	24	1	4009315 819389
583338	150 x 16	1,8	1,2	24	1	4 0 0 9 3 1 5 8 3 3 3 8 5
584538	160 x 20	1,8	1,2	24	1	4009315 845388
584738	165 x 20	2,0	1,4	24	1	4 0 0 9 3 1 5 8 4 7 3 8 2
585538	173 x 30	2,0	1,4	24	1	4 0 0 9 3 1 5 8 5 5 3 8 7
586138	184 x 20	2,0	1,4	30	1	4 0 0 9 3 1 5 8 6 1 3 8 8
587938	215 x 30	2,0	1,4	30	1	4 009315 879383

With flutes for higher and faster performance, hard metal tipped, precise and clean cuts. Special alternate set teeth, especially suitable for cordless circular hand saws. Asymmetric tooth pitch for noise reduction by min. 30 %. All-purpose application, for chipboard, coated chipboard, construction wood, non-ferrous metal, sheet metal'and aluminium profile sections as

Thin-cut circular saw blade, hard metal tipped





























Circular saw blades



AKKU-TOP | ENERGY SAVING CIRCULAR SAW BLADES

- · optimised blade geometry
- low blade thickness, reduced cutting width
- · less friction, saves energy and time
- less effort for the cordless machine

Thin-cut circular saw blade, hard metal tipped



ArtNo.	Ø x shank Ø	Kerf	*¶* mm	Teeth	6	Barcode
586554	190 x 16	2,0	1,3	30	1	4 009315 865546
586654	190 x 20	2,0	1,3	30	1	4 0 0 9 3 1 5 8 6 6 5 4 3
586954	190 x 30	2,0	1,3	30	1	4 009315 869544
587856	210 x 30	2,0	1,3	48	1	4 0 0 9 3 1 5 8 7 8 5 6 0
588254	216 x 30	2,0	1,3	48	1	4 009315 882543





AKKU-TOP I ENERGY SAVING CUTTING DISCS

- · extra thin cutting edge
- · easy, quick cutting
- · long service life, saves time and energy
- · less effort for the cordless machine

AGGRESSO-FLEX® DIAMANT cutting discs



DIAMANT thin cut-off blades, extra thin cutting edge, turbo shape, thickness 1.0 mm, for high cutting performance and professional long-term work, for granite, marble, concrete, ceramics, tiles, stoneware, natural and artificial stone, for all customary angular grinders with a circumferential speed of 80m/s and in particular for cordless angular grinders.

20% FASTER - FASTER 20% ENERGY

ArtNo.	Ø x shank Ø	√ ‡x औ⁄ mm		Barcode
721140	115 x 22	7,0 x 1,2	1	4 0 0 9 3 1 7 2 1 1 4 0 2
724540	125 x 22	7,0 x 1,2	1	4 0 0 9 3 1 7 2 4 5 4 0 7

















PROFESSIONAL ★★★★









3-S Japan auger bit

35% FASTER - SAVE 35% ENERGY



kwb Germany GmbH Hauptstraße 132 D - 28816 Stuhr

Tel.: + 49 (0) 421 8994-0 Fax: + 49 (0) 421 8994-103

welcome@kwb.eu www.kwb.eu



Art.-no. 990388 - GB

